

**Tournament Name**  
**Bowling Center**  
**City, State**  
**Dates**

**47 feet pattern**

**Megalanes Bowling Centre**

**Selangor**

Volume Per Board:		Forward					Start Med. Buff	Start Slow Buff	Oil Travel Distance
50 $\mu$ L							feet	feet	47 feet
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil ( $\mu$ L)
01F	2	2	5	10	0	7	37	185	9250
02F	13	13	2	18	7	12	15	30	1500
03F	14	14	1	18	12	14	13	13	650
04F	15	15	2	18	14	19	11	22	1100
05F	16	16	1	18	19	21	9	9	450
06F	17	17	2	18	21	26	7	14	700
07F	2	2	0	18	26	47			
08F	2	2	0	26	47				
09F									
10F									
11F									
12F									
13F									
14F									
15F									
<b>Total # Boards Crossed / mL on FWD</b>								<b>273</b>	<b>13.65</b>
Lane Surface Type: _____								Reverse Oil Distance	
Condition: 1 = poor 2 = fair 3 = average 4 = good 5 = excellent _____								32 feet	
<b>Reverse</b>									
Screen #	Left End of Stream	Right End of Stream	# Loads or Streams	Travel Speed (in/sec)	Beginning Distance of Load (feet)	Ending Distance of Load (feet)	# Boards Crossed per Load	Total Boards Crossed	Total Volume of Oil ( $\mu$ L)
01R	2	2	0	30	47	32			
02R	16	16	1	22	32	29	9	9	450
03R	14	14	1	22	29	26	13	13	650
04R	13	13	1	22	26	23	15	15	750
05R	12	12	1	22	23	20	17	17	850
06R	2	2	4	22	20	8	37	148	7400
07R	2	2	0	14	8	0			
08R	2	2	0	10	0				
09R									
10R									
11R									
12R									
13R									
14R									
15R									
<b>Total # Boards Crossed / mL on REV</b>								<b>202</b>	<b>10.1</b>
<b>Total # Boards / mL FWD and REV</b>								<b>475</b>	<b>23.75</b>

**Tournament Name**  
**Bowling Center**  
**City, State**  
**Dates**

**47 feet pattern**  
**Megalanes Bowling Centre**  
**Selangor**

Zone Length                    #1                    #2                    #3                    #4                    #5                    #6  
Tape Location                7'                    15'                    32'                    40'                    44'

**FORWARD OIL**

Pump Calibration:    50                    Fwd Volume    13.650                    Rev Volume    10.100                    Total Volume    23.750

1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R			
01F	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250	250		
02F												100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100														
03F													50	50	50	50	50	50	50	50	50	50	50	50	50	50															
04F													100	100	100	100	100	100	100	100	100	100	100	100	100	100															
05F														50	50	50	50	50	50	50	50	50	50	50	50																
06F															100	100	100	100	100	100	100	100	100	100																	
07F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
08F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
09F																																									
10F																																									
11F																																									
12F																																									
13F																																									
14F																																									
15F																																									
	1000				1250				1750				2825				325				2825				1750				1250				1000								
	250	250	250	250	250	250	250	250	250	250	250	250	350	400	500	550	650	650	650	650	650	650	550	500	400	350	250	250	250	250	250	250	250	250	250	250	250	250			


**REVERSE OIL**

1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	11L	12L	13L	14L	15L	16L	17L	18L	19L	20	19R	18R	17R	16R	15R	14R	13R	12R	11R	10R	9R	8R	7R	6R	5R	4R	3R	2R	1R		
01R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
02R															50	50	50	50	50	50	50	50	50	50	50															
03R													50	50	50	50	50	50	50	50	50	50	50	50	50															
04R													50	50	50	50	50	50	50	50	50	50	50	50	50	50														
05R													50	50	50	50	50	50	50	50	50	50	50	50	50	50	50													
06R	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	
07R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
08R	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
09R																																								
10R																																								
11R																																								
12R																																								
13R																																								
14R																																								
15R																																								
	800				1000				1450				1800				200				1800				1450				1000				800							
	200	200	200	200	200	200	200	200	200	200	200	200	250	300	350	350	400	400	400	400	400	400	400	350	350	300	250	200	200	200	200	200	200	200	200	200	200	200		

**Total Volume in Microliters**                    23750

# 47 feet pattern Composite Pattern

Microliters	Avg. 2-5L	Avg. 6-10L	Avg. 11-15L	Avg. 16-20L	Avg. 20-16R	Avg. 15-11R	Avg. 10-6R	Avg. 5-2R
	450	450	640	1027.7778	1027.7778	640	450	450
Ratio	20:2L	20:5L	20:10L	20:15L	20:15R	20:10R	20:5R	20:2R
	2.33	2.33	2.33	1.24	1.24	2.33	2.33	2.33



### 47 feet pattern Overhead View of Conditioner Pattern

